



AUTOCLAVES

GALVANISED AUTOCLAVES


WITH ACCESSORIES "A" AND "B"



Galvanised autoclaves with accessories "A" compressor and "B" accessories air from network



PRICES
A



PRICES
B

Hot-dip galvanised steel autoclave assemblies.

Allowed temperature: -10 +49° C.

Equipped with all accessories (type 'A' or 'B') already fitted and complete with electrical wiring on IP54 panel.

CE certified according to European Dir. 2014/68/EU-PED as "ASSEMBLY".

The assemblies are subject to the Declaration of Commissioning (Ministerial Decree 329 of 01/12/2004)

- Horizontal versions are made on request.
- Anti-condensation insulation in closed-cell, cross-linked polyethylene and PVC external finish on request
- Anti-condensation insulation in closed-cell reticulated polyethylene and external finish in aluminium foil on request

SURCHARGE FOR ADAPTATION OF CONNECTIONS TO EXISTING TANK € 995.00



Technical Specifications

A' accessories

B' Accessories

Capacity			Autoclave assemblies with 'A' accessories for air loading with compressor		Autoclaves with 'B' accessories for loading from compressed air network	
L	Ø mm	H mm	Code	Price	Code	Price
Autoclave assemblies at max. allowed pressure 6 bar						
500	650	1800	00703220500	5.609,00 €	00703320500	4.302,00 €
800	790	1960	00703220800	5.953,00 €	00703320800	4.787,00 €
1000	790	2360	00703221000	6.355,00 €	00703321000	5.109,00 €
1500	1000	2270	00703221500	8.068,00 €	00703321500	6.714,00 €
2000	1100	2470	00703222000	8.947,00 €	00703322000	7.388,00 €
3000	1300	2670	00703223000	12.035,00 €	00703323000	10.263,00 €
4000	1300	3450	00703224000	14.698,00 €	00703324000	13.220,00 €
5000	1400	3700	00703225000	15.911,00 €	00703325000	14.399,00 €
Autoclave assemblies at max. allowed pressure 8 bar						
500	650	1800	00703240500	5.532,00 €	00703340500	4.423,00 €
800	790	1960	00703240800	6.258,00 €	00703340800	4.919,00 €
1000	790	2360	00703241000	6.649,00 €	00703341000	5.374,00 €
1500	1000	2270	00703241500	8.458,00 €	00703341500	7.438,00 €
2000	1100	2470	00703242000	9.604,00 €	00703342000	8.344,00 €
3000	1300	2670	00703243000	12.644,00 €	00703343000	11.199,00 €
4000	1300	3450	00703244000	15.256,00 €	00703344000	14.022,00 €
5000	1400	3700	00703245000	17.724,00 €	00703345000	16.469,00 €
Autoclave assemblies at max. allowed pressure 10 bar						
300	550	1500	00703250300	5.165,00 €	00703350300	4.709,00 €
500	650	1800	00703250500	6.021,00 €	00703350500	4.862,00 €
800	790	1960	00703250800	6.877,00 €	00703350800	5.733,00 €
1000	790	2360	00703251000	7.409,00 €	00703351000	6.191,00 €
1500	1000	2270	00703251500	9.046,00 €	00703351500	7.993,00 €
2000	1100	2470	00703252000	10.190,00 €	00703352000	9.272,00 €
3000	1300	2670	00703253000	13.398,00 €	00703353000	12.182,00 €
4000	1300	3450	00703254000	15.856,00 €	00703354000	14.617,00 €
5000	1400	3700	00703255000	18.314,00 €	00703355000	17.053,00 €
Autoclave assemblies at max. allowed pressure 12 bar						
300	550	1500	00703260300	6.499,00 €	00703360300	5.337,00 €
500	650	1800	00703260500	6.933,00 €	00703360500	5.767,00 €
800	790	1960	00703260800	8.098,00 €	00703360800	6.803,00 €
1000	790	2360	00703261000	9.430,00 €	00703361000	7.332,00 €
1500	1000	2270	00703261500	10.699,00 €	00703361500	9.360,00 €
2000	1100	2470	00703262000	12.558,00 €	00703362000	11.213,00 €
3000	1300	2670	00703263000	16.001,00 €	00703363000	14.750,00 €
4000	1300	3450	00703264000	17.947,00 €	00703364000	16.601,00 €
5000	1400	3700	00703265000	20.417,00 €	00703365000	19.060,00 €

PLEASE NOTE

The indicated heights refer to the product without safety valve (approx. 12 cm).

comprising: three-phase 400 V air electro-compressor, 230 V compressor head bleeder solenoid valve, air check valve, air interception tap, vibration-damping connection, float level regulator, compressor pressure switch, compressor switch box, level indicator with plexiglass tube and protection (multiple reflection box for 12 Bar), P.E.D. certified safety valve, pressure gauge with pressure gauge holder tap, drain valve.

comprising: pressure regulator with filter and pressure gauge, 230 V air inlet solenoid valve, air non-return valve, air shut-off tap, float level regulator, solenoid valve pressure switch, pressure switch, electrical wiring board, level indicator with Plexiglas tube and protection, (with multiple reflex boxes for 12 Bar), P.E.D. certified safety valve, pressure gauge with pressure gauge holder tap, drain valve.

Wenkel S.r.l

Registered and operating office: Via E. Mattei 13/F – 31030 Casier (TV) – P.I. e C.F. 08456530966 – REA: TV-422447

Registered with the Companies' Register of Treviso-Belluno under No. 08456530966 – Share Capital €98.000,00

Tel. 0422/672911 • Fax 0422/340425 • e-mail: info@heizersile.it • www.heizersile.com

Subject to control and coordination by Fiorini Industries S.r.l.

