


AUTOCLAVES

PRESSURISATION UNITS

GPZ



Pressurisation units

GPZ



PRICES

Vertical, monoblock water pressure booster sets for direct suction from the water mains (aqueduct) with two inverter pumps

These units consist of a galvanised steel pressure tank, two 400/3 V inverter pumps with digital control and regulation panel, general control panel, air compressor and regulated safety accessories.

The system, entirely pre-assembled, wired and tested in-house, guarantees:

- water hygiene by drawing the electric pumps from the closed vessel fed directly from the water mains.
- a constant pressure flow, as the flow rate changes, thanks to the electronic pump speed control system (inverter).

Max. allowed pressure: 6 bar or 8 bar.

Allowed temperature: -10 +49° C.

CE certified according to European Dir. 2014/68/EU-PED as "ASSEMBLY".

The assemblies are subject to the Declaration of Commissioning (Ministerial Decree 329 of 01/12/2004).

- Horizontal versions are made on request.
- Anti-condensation insulation in closed-cell, cross-linked polyethylene and PVC external finish on request
- Anti-condensation insulation in closed-cell reticulated polyethylene and external finish in aluminium foil on request

SURCHARGE FOR ADAPTATION OF CONNECTIONS TO EXISTING TANK € 995.00



Technical Specifications

Capac- ity l	Total capac- ity pumps L/h	Head max. m	Single Pump Power kW	Overall dimen- sions H x W x D mm	Code	Price
GPZ galvanised steel max. pressure 6 bar						
500	13000	50	1.1	1900x1310x1050	00743360500	upon request
800	20000	48	1.5	2060x1460x1200	00743360800	
1000	20000	48	1.5	2460x1460x1200	00743361000	
1500	20000	48	1.5	2370x1660x1400	00743361500	
2000	20000	48	1.5	2570x1760x1500	00743362000	
3000	23000	70	2.2	2770x1960x1700	00743363000	
GPZ galvanised steel max. pressure 8 bar						
500	13000	50	1.1	1900x1310x1050	00743370500	upon request
800	20000	48	1.5	2060x1460x1200	00743370800	
1000	20000	48	1.5	2460x1460x1200	00743371000	
1500	20000	48	1.5	2370x1660x1400	00743371500	
2000	20000	48	1.5	2570x1760x1500	00743372000	
3000	23000	70	2.2	2770x1960x1700	00743373000	

PLEASE NOTE The indicated heights refer to the product without safety valve (approx. 12 cm).

Wenkel S.r.l

Registered and operating office: Via E. Mattei 13/F – 31030 Casier (TV) – P.I. e C.F. 08456530966 – REA: TV-422447

Registered with the Companies' Register of Treviso-Belluno under No. 08456530966 – Share Capital €98.000,00

Tel. 0422/672911 • Fax 0422/340425 • e-mail: info@heizersile.it • www.heizersile.com

Subject to control and coordination by Fiorini Industries S.r.l.

