


AUTOCLAVES

MONOBLOCK AUTOCLAVES

MVZ ON/OFF



Monoblock autoclaves

MVZ ON/OFF



PRICES

Vertical monoblock galvanised steel water lifting autoclaves with one or two medium head pumps suctioned from a well or tank at atmospheric pressure.

All autoclaves are equipped as standard with the 0.96 kW - 8 bar three-phase automatic air compressor to restore and maintain the air cushion. Allowed temperature: -10 +49°C.

Complete with accessories already fitted and complete with electrical wiring.

CE certified according to European Dir. 2014/68/EU-PED as an "ASSEMBLY". The assemblies are subject to the Declaration of Commissioning (D.M. 329 of 01/12/2004).

- Horizontal versions are made on request.
- Anti-condensation insulation in closed-cell, cross-linked polyethylene and PVC external finish on request
- Anti-condensation insulation in closed-cell reticulated polyethylene and external finish in aluminium foil on request



variant with air from mains

SURCHARGE FOR ADAPTATION OF CONNECTIONS TO EXISTING TANK € 995.00

Technical Specifications

Capacity	N° flats individual services	Pressure max.	Total capacity pumps	Head max.	Power Single Pump	Overall dimensions H x W x D	Code	Price
l		bar	L/h	m	kW	mm		
M.P. galvanised monoblock autoclave assemblies with one centrifugal pump (F.1016)								
300**	8÷10	10	6000	56	1.1	1600x850x750	00743400300	upon request
500**	10÷12	6	6000	56	1.1	1900x950x850	00743400500	
500	10÷12	8	6000	56	1.1	1900x850x750	00743410500	
M.P. monoblock galvanised autoclave assemblies with a self-priming centrifugal pump (F.1016/5)								
300	3÷6	10	3000	52	0.75	1600x850x900	00743440300	upon request
500	8÷10	6	5800	55	1.1	1900x950x950	00743440500	
500	8÷10	8	5800	52	1.1	1900x950x950	00743460500	
M.P. galvanised monoblock autoclave assemblies with two self-priming centrifugal pumps (F.1016/6)								
300	12÷16	10	6000	52	0.75	1600x1150x900	00743450300	upon request
500	18÷20	6	11600	55	1.1	1900x1250x950	00743450500	
500	18÷20	8	-	-	-	1900x1250x950	00743560500	
M.P. galvanised monoblock autoclave assemblies with two centrifugal pumps (F.1016/9)								
300	20÷25	10	12000	56	1.1	1600x1150x750	00743410300	upon request
500	25÷30	6	12000	56	1.1	1900x1250x850	00743420500	
500	25÷30	8	12000	56	1.1	1900x1250x850	00743430500	
800	30÷42	6	15000	68	1.5	2060x1400x1000	00743420800	
800	30÷42	8	15000	68	1.5	2060x1400x1000	00743430800	
1000	42÷48	6	15000	68	1.5	2460x1400x1000	00743421000	
1000	42÷48	8	15000	68	1.5	2460x1400x1000	00743431000	
1500	55÷70	6	22000	58	2.2	2370x1700x1200	00743421500	
1500	55÷70	8	22000	58	2.2	2370x1700x1200	00743431500	
2000	70÷80	6	22000	58	2.2	2570x1800x1300	00743422000	
2000	70÷80	8	22000	58	2.2	2570x1800x1300	00743432000	
3000	85÷90	6	26000	80	2.5	2770x2000x1500	00743423000	
3000	85÷90	8	26000	80	2.5	2770x2000x1500	00743433000	

** 300 and 500 litre capacities are also available with 230 V single-phase (please indicate voltage when ordering). Price +5%

NB: For different capacities and pressures, please request a quotation.

PLEASE NOTE The indicated heights refer to the product without safety valve (approx. 12 cm).

Optional accessories

Description	Code	Price
Price difference for Autoclaves Monoblock with automatic air supply unit	85073980000	upon request

Wenkel S.r.l

Registered and operating office: Via E. Mattei 13/F – 31030 Casier (TV) – P.I. e C.F. 08456530966 – REA: TV-422447

Registered with the Companies' Register of Treviso-Belluno under No. 08456530966 – Share Capital €98.000,00

Tel. 0422/672911 • Fax 0422/340425 • e-mail: info@heizersile.it • www.heizersile.com

Subject to control and coordination by Fiorini Industries S.r.l.

