
PRE-AUTOCLAVES

STAINLESS STEEL PRE-AUTOCLAVES
WITH ACCESSORIES "A" AND "B"







Stainless steel pre-autoclaves with accessories "A" compressor and accessories "B" mains air

AISI 304 stainless steel hydraulic flywheel pre-boilers are vessels designed to supply a water lifting unit operating with suction from pressurised water mains

Allowed temperature: -10 +49°C.

Equipped with all accessories (type 'A' or 'B') already fitted and complete with electrical wiring on IP54 panel.

CE certified according to European Dir. 2014/68/EU-PED as "ASSEMBLY". The assemblies are subject to the Declaration of Commissioning (Ministerial Decree 329 of 01/12/2004)

- Horizontal versions are made on request.
- Anti-condensation insulation in closed-cell, cross-linked polyethylene and PVC external finish on request
- Anti-condensation insulation in closed-cell reticulated polyethylene and external finish in aluminium foil on request

SURCHARGE FOR ADAPTATION OF CONNECTIONS TO EXISTING TANK $\ensuremath{\mathfrak{C}}$ 995.00





CES



Technical Specifications

A' accessories

B' Accessories

Capacity	Dimensions			Pre-autoclave assemblies with 'A' accessories for air loading with compressor		Pre-autoclave assemblies with 'B' accessories for loading from compressed air network	
			Opposing of	Opposing connections		Opposing connections	
l	Ø mm	H mm	Code	Price	Code	Price	
Pre-autoclave assemblies at max. allowed pressure 6 bar							
500	700	1550	00713470500	7.190,00 €	00713570500	6.712,00 €	
800	700	2350	00713470800	7.822,00 €	00713570800	7.361,00 €	
1000	900	1860	00713471000	8.268,00 €	00713571000	7.598,00 €	
1500	1000	2230	00713471500	9.531,00 €	00713571500	9.107,00 €	
2000	1100	2570	00713472000	10.595,00 €	00713572000	10.355,00 €	
Pre-autoclave assemblies at max. allowed pressure 8 bar							
500	700	1550	00713480500	7.417,00 €	00713580500	6.839,00 €	
800	700	2350	00713480800	8.647,00 €	00713580800	8.083,00 €	
1000	900	1860	00713481000	8.892,00 €	00713581000	8.370,00 €	
1500	1000	2230	00713481500	10.649,00 €	00713581500	10.148,00 €	
2000	1100	2570	00713482000	11.803,00 €	00713582000	11.240,00 €	
Pre-autoclave assemblies at max. allowed pressure 10 bar							
500	700	1550	00713490500	7.602,00 €	00713590500	7.281,00 €	
800	700	2350	00713490800	8.946,00 €	00713590800	8.774,00 €	
1000	900	1860	00713491000	9.451,00 €	00713591000	9.099,00 €	
1500	1000	2230	00713491500	10.973,00 €	00713591500	10.855,00 €	
2000	1100	2570	00713492000	12.261,00 €	00713592000	12.046,00 €	

PLEASE NOTE

The indicated heights refer to the product without safety valve (approx. 12 cm).

consisting of: three-phase 400 V air compressor, compressor head 230 V solenoid vent valve, air check valve, air interception tap, vibration-damping coupling, float level regulator, compressor pressure switch, calibrated minimum pressure switch 1 bar, compressor control panel, level indicator with P.E.D. tube and protection, P.E.D. certified safety valve, pressure gauge with gauge holder tap, drain valve.

comprising: pressure regulator with filter and pressure gauge, 230 V air inlet solenoid valve, air non-return valve, air shutoff valve, float level regulator, solenoid valve pressure switch, calibrated minimum pressure switch 1 bar, electrical wiring board, level indicator with Plexiglas tube and protection, P.E.D. certified safety valve, pressure gauge with pressure gauge holder tap, drain valve.



Wenkel S.r.l

Registered and operating office: Via E. Mattei 13/F – 31030 Casier (TV) - P.I. e C.F. 08456530966 – REA: TV-422447 Registered with the Companies' Register of Treviso-Belluno under No. 08456530966 – Share Capital €98.000,00 **Tel. 0422/672911 • Fax 0422/340425 • e-mail: info@heizersile.it • www.heizersile.com** Subject to control and coordination by Fiorini Industries S.r.l.

